

Africa RISING Central Malawi Harvest Survey – April 2018 HHID _____

Consent Form

Title of the research project: *Agro-ecological Intensification and Production among smallholder farmers in Malawi*

Hello! My name is ___ and I am working for Africa RISING. Researchers from Michigan State University are trying to learn about the lives of farmers in Malawi. We are asking farmers, like you, if they would like to participate in a face-to-face interview about how you farm, and it will last about an hour. You must be at least 18 years old to participate.

We are not selling anything or offering any services to you right now. We are only gathering information, but hope that by understanding the lives of farmers in Malawi, Michigan State University and other organizations may provide better services in the future.

Your participation is completely voluntary. Choosing to participate will not increase your opportunities to get services; and choosing not to participate will not decrease your opportunities to receive services. If you choose to participate, I will ask you a number of questions about your household, your farm, and your opinions about farming. You can choose not to answer any question you wish. Your answers will be completely confidential and only the research staff will see your answers. When we do our reports, your answers will be grouped with other farmers' answers to give an overall picture of the lives of farmers in this area. No one in your community will know what your answers are unless you tell them.

There's no cost or compensation offered to participate.

If you have any questions about the study you may contact Dr. Regis Chikowo at IITA by phone at 0994-859-401, or Hannah Livuza by phone at 0999-938587.

Do you have any questions about this study or your participation?

Do you agree to participate in this interview (Enumerator, circle response)? YES NO

[If no:] Thank you for your time today.

District: <i>1=Dedza; 2=Ntcheu</i>	EPA:	Sample: <i>1=Int.; 2=LC; 3=DC</i>	A3-Enumerated by:	
Village:	Date: ____/____/2018		Checked by:	
Household ID			Data entry by:	
A4-Name of household head			A5-Name of respondent	
NV0-When was the first rains in the area? (<i>1=Jan; 2=Feb...; 11=Nov; 12=Dec</i>)			Month	
			<i>(For weeks enter 1, 2, 3 or 4)</i>	Week

NV1- Does the farmer confirm all fields were captured on the mid-season survey map? (<i>1=Yes; 2=No</i>)				
				If yes, skip to NV3
NV2 -How many <i>additional fields</i> should have been recorded on the mid-season survey?				
NV3 - What are the additional crops that should have been included on the mid-season survey, and how much area was planted? NOTE - If necessary, add to the map in order to assign field & plot numbers to all crops recorded here.	Field	Plot	Crop	Acres

Village Codes				
1=Mkuwazi	7=Dauka	11=Wilson	17=Gonthi	
2=Mbidzi	8=Katsese	12=Pitala	18=Kampanje	
3=Msamala	9=Chawa	13=Kakhoma	19=Hauya	
4=Kalumo	(Simenti, Chinthu, Zilonge, Mbalame)	14=Chikawola	20=Kahowela	
5=Amosi (Hiwa)	10=Kabango	15=Sitolo (Chidika)	21=Malinda	
6=Nzililongwe	(Kaupsa, Kaputeni, Kasakula, Malata, Chilenga, Matewera)	16=Sukasuka	22=Njolomole	
EPA Codes				
1=Linthipe	2=Golomoti	3=Kandeu	4=Nsipe	5=Mtakataka

Fertility High Field _____ Plot _____

B1- Plot Name _____

lat- Plot Latitude	S						
long- Plot Longitude	E						

B3 – Enumerator, Which image best represents the slope of this plot? (See visual aid)	
CULTIVATE17- Enumerator, was this plot cultivated during the 2017/18 season? (1=Yes, 2=No) If the plot was fallow, enter “2”, No and skip to page 7	
B90- How were crops mixed on this field (1=Monocrop; 2=Intercrop; 3=Strip intercrops)	

FP19- EXCLUDING UREA AND NPK - How much other fertilizer was applied to this plot? If other fertilizer was not applied, enter “0” for QTY and skip to F03a (See unit codes below)	FP19-QTY	
	FP20-UNITS	
FP23- (If FP19=0, skip to F03a) What was the name of the “other fertilizer”?		
FP23i- When was other fertilizer application finished? (1=Jan; 2=Feb;... 11=Nov; 12=Dec)	Month	
	Week	

Enumerator – Please ask the following for all crop types (not just those included in yield cuts)
IMPORTANT – MAKE SURE YOU ASK ABOUT MAIN CROP AND INTERCROPS (DO NOT JUST RELY ON THE MAP). This will serve as confirmation that we successfully captured these important crops during the mid-season survey

F03a- What is the main crop planted for the 2017 (current) harvest? (See codes below)	
F03a2- Has the main crop been completely harvested? (1=Yes; 2=No)	
F03a3- What is or will be the total main crop quantity harvested?	QTY
	UNITS
Were measured units shelled or unshelled? (0=NA; 1=shelled; 2=unshelled)	SHELL
F03b- What is the primary intercrop planted for the 2017 (current) harvest? (See codes–Enter “0” if none)	
F03b2- Has the primary intercrop been completely harvested? (1=Yes; 2=No)	
F03b3- What is or will be the total primary intercrop quantity harvested?	QTY
	UNITS
Were measured units shelled or unshelled? (0=NA; 1=shelled; 2=unshelled)	SHELL
F03c- What is the second intercrop planted for the 2017 (current) harvest? (See codes–Enter “0” if none)	
F03c2- Has the second intercrop been completely harvested? (1=Yes; 2=No)	
F03c3- What is or will be the total second intercrop quantity harvested?	QTY
	UNITS
Were measured units shelled or unshelled? (0=NA; 1=shelled; 2=unshelled)	SHELL

Crop codes: 0 = None 1=local maize 2=hybrid maize 3=OPV/Composite maize 4=tobacco 5=cotton 6=pigeonpea 7=groundnut 8=soya bean 9=common bean 10=velvet bean 11=cowpea 12=bambara nut	13=sorghum 14=cassava 15=sweet potato 16=Irish potato 17=millet 18=rice 19=pumpkin 20=Fallow 21=Finger millet 87=Virgin land 89=Used/owned by another farmer 99=Other (Specify) _____	Unit codes 1=kg 2=25 kg sacks 3=50 kg sacks 4=20L bucket 5=5L pail 6=Ndiwo plate (about 0.5 kg) 7=Nsima plate (about 1 kg) 8=18L Bucket 9=15L Bucket 10=10L pail 11=Ox cart 12=Bunches 13=Heads/In total 99=Other (specify)
---	---	--

Fertility High Field _____ Plot _____

Enumerator – Please identify three fairly evenly spaced locations (call these A, B & C) across the diagonal of the plot, avoiding borders.

If the plot has been partially harvested, take locations in the areas that have not been harvested.

Roughly illustrate the plot in the space provided below. In the illustration, please show:

Whether plot is fertilized (“F”) or unfertilized (“UF”)

*Area where the **main crop** has been **harvested** indicated by **hash lines (#)***

Describe the crop pattern in the notes section, or using the illustration if that is helpful

Label locations “A”, “B”, and “C”



Enumerator notes:

Fertility High Field _____ Plot _____

Enumerator – Please answer each of the following questions for locations A, B & C

If a question cannot be answered, indicate why with the following codes:

- 7=strip cropping (intercrops not present at this location)
- 8= crop has been harvested and shelled or harvested and removed from the household
- 9=crop is not ready to be harvested

	Location A	Location B	Location C
C2- What is the spacing between ridges (center-to-center) in centimeters ?			
C90- How were crops mixed at this location? (1=Monocrop; 2=Intercrop; 3= Strip crop)			
Enumerator note – The main crop is (transfer F03a) _____	Location A	Location B	Location C
Main crop yield cuts (These question apply only to the crop in F03a):			
D5i- If the main crop was/is maize (F03a=1, 2 or 3) how many plants were standing in the 2-ridge X 2-meter area in this location? (If F03a>3, skip to E3i)			
D6ai- What was/is the total number of cobs that have been/ will be harvested in this 2-ridge X 2-meter area in this location?			
D6bi- What is the weight of all of the unshelled cobs that were harvested from Location B? + (If this cannot be done, use codes above)			
D8i- Weigh and remove a sample of three (3) cobs to measure grain moisture later (Place label from the back page in a plastic bag inside sample and record weight here)			
D8i_moisture- Record initial moisture reading here:			
D8i_dryweight- Record dry weight here:			
D8i_drymoisture- Record moisture reading after drying here:			
E3i- If the main crop was/is a legume (F03a is within 6-12), how many plants were standing in the 1-ridge X 2-meter area in this location? (If the [6>F03a>12], skip to E10i)			
E4ai- What was/is the total number of pods that have been/will be harvested in a 1-ridge X 2-meter area? (If this cannot be done, use codes above)			
E4bi- What is the weight of all of the unshelled pods that were harvested from Location B? (If this cannot be done, use codes above)			
E6i- Take a sample of nine (9) pods, unshelled , to measure moisture later (Place label from the back page in a plastic bag inside sample and record weight here)			
E6i_moisture- Record initial moisture reading here:			
E6i_dryweight- Record dry weight here:			
E6i_drymoisture- Record moisture reading after drying here:			
E10i- If the main crop was neither maize nor legume (F03a is 4,5, or within 13-19, or 99), how many plants were standing in the 1-ridge X 2-meter area in this location? (If the main crop was maize or a legume, skip to the primary intercrop yield cut table)			
Enumerator note – The primary intercrop is (transfer F03b) _____	Location A	Location B	Location C
Primary intercrop crop yield cuts (These question apply only to the crop in F03b):			
D5ii- If the primary intercrop was/is maize (F03b=1, 2 or 3) how many plants were standing in the 2-ridge X 2-meter area in this location? (If F03b>3, skip to E3ii)			
D6aii- What was/is the total number of cobs that have been/ will be harvested in this 2-ridge X 2-meter area in this location?			
D6bii- What is the weight of all of the unshelled cobs to be harvested from Location B? (If this cannot be done, use codes above)			
D8ii- Weigh and remove a sample of three (3) cobs to measure grain moisture later (Place a label from the back page in a plastic bag inside sample and record weight here)			
D8ii_moisture- Record initial moisture reading here:			
D8ii_dryweight- Record dry weight here:			
D8ii_drymoisture- Record moisture reading after drying here:			

Fertility High Field _____ Plot _____

Enumerator – Please answer each of the following questions for locations A, B & C
 If a question cannot be answered, indicate why with the following codes:

- 7=strip cropping (intercrops not present at this location)
- 8= crop has been harvested and shelled or harvested and removed from the household
- 9=crop is not ready to be harvested

Continuation of Primary intercrop crop yield cuts (These question apply only to the crop in F03b):	Location A	Location B	Location C
E3ii If the primary intercrop was/is a legume (F03b is within 6-12), how many plants were standing in the 1-ridge X 2-meter area (If the [6>F03b>12], skip to E10i)			
E4aii- What was/is the total number of pods that have been/will be harvested in a 1-ridge X 2-meter area? (If this cannot be done, use codes above)			
E4bii- What is the weight of all of the unshelled pods that were harvested from Location B? (If this cannot be done, use codes above)			
E6ii- Take a sample of nine (9) Pods, unshelled , to measure moisture later (Place label from the back page in a plastic bag inside sample and record weight here)			
E6ii_moisture- Record initial moisture reading here:			
E6ii_dryweight- Record dry weight here:			
E6ii_drymoisture- Record moisture reading after drying here:			
E10ii- If the primary intercrop was neither maize nor legume (F03a is 4,5, or within 13-19, or 99), how many plants were standing in the 1-ridge X 2-meter area in this location? (If the main crop <u>was</u> maize or a legume, skip to the primary intercrop yield cut table)			

Enumerator note – The second intercrop is (transfer F03c) _____ Second intercrop yield cuts (These question apply only to the crop in F03c):	Location A	Location B	Location C
D5iii- If the second intercrop was/is maize (F03c=1, 2 or 3) how many plants were standing in the 2-ridge X 2-meter area in this location? (If F03c>3, skip to E3iii)			
D6aiii- What was/is the total number of cobs that have been/ will be harvested in this 2-ridge X 2-meter area in this location?			
D6biii- What is the weight of all of the unshelled cobs to be harvested from Location B? (If this cannot be done, use codes above)			
D8iii- Weigh and remove a sample of three (3) cobs to measure grain moisture later (Place a label from the back page in a plastic bag inside sample and record weight here)			
D8iii_moisture- Record initial moisture reading here:			
D8iii_dryweight- Record dry weight here:			
D8iii_drymoisture- Record moisture reading after drying here:			
E3iii If the second intercrop was/is a legume (F03c is within 6-12), how many plants were standing in the 1-ridge X 2-meter area? (If the [6>F03c>12], skip to E10ii)			
E4aiii- What was/is the total number of pods that have been/will be harvested in a 1-ridge X 2-meter area? (If this cannot be done, use codes above)			
E4biii- What is the weight of all of the unshelled pods that were harvested from Location B? (If this cannot be done, use codes above)			
E6iii- Take a sample of nine (9) Pods, unshelled , to measure moisture later (Place label from the back page in a plastic bag inside sample and record weight here)			
E6iii_moisture- Record initial moisture reading here:			
E6iii_dryweight- Record dry weight here:			
E6iii_drymoisture- Record moisture reading after drying here:			
E10iii- If the second intercrop was neither maize nor legume (F03a is 4,5, or within 13-19, or 99), how many plants were standing in the 1-ridge X 2-meter area in this location? (If the main crop <u>was</u> maize or a legume, skip to the primary intercrop yield cut table)			

Fertility High

Field _____

Plot _____

Enumerator – The following questions only apply to the period since the last visit from Africa RISING

W10 - How many complete weeding have been done <i>since the last Africa RISING survey?</i>		
When was the first weeding since our last visit completed? <i>(Leave blank if there were 0 weedings)</i>	<i>(Use month codes)</i> <i>(Week=1, 2, 3 or 4)</i>	W11 Month
Type of first weeding?	<i>(1=pulling plants; 2=banking; 3=scraping)</i>	W13 Type
When was the second weeding since our last visit completed? <i>(Leave blank if there were 0 weedings)</i>	<i>(Use month codes)</i> <i>(Week=1, 2, 3 or 4)</i>	W14 Month
Type of first weeding?	<i>(1=pulling plants; 2=banking; 3=scraping)</i>	W16 Type

LAB00 – Enumerator, Has there been any labor for weeding or harvesting since the last Africa RISING survey? <i>(1=Yes, 2=No) If no, skip to next page</i>	
--	--

Recent labor on HIGH fertility field (represented plot)

	How many hh members under 16 provide labor for _____? <i>If LAB01=0 skip to LAB03</i>	How many hh days did member s under 16 provide labor for _____? <i>If LAB03=0 skip to LAB05</i>	How many hh MEN 16 – 70 years provide labor for _____? <i>If LAB05=0 skip to LAB07</i>	How many hh WOMEN 16 – 70 years provide labor for _____? <i>If LAB07=0 skip to LAB09</i>	How many hh members over 70 provide labor for _____? <i>If LAB09=0 skip to LAB11</i>	How many days did hh members over 70 provide labor for _____? <i>If LAB11=0 skip LAB12</i>	How many MEN were hired to provide labor for _____?	How many days did hired MEN provide labor for _____?	How many WOMEN were hired to provide labor for _____?	How many days did hired WOMEN provide labor for _____?		
LAB_Activity	LAB01	LAB02	LAB03	LAB04	LAB05	LAB06	LAB07	LAB08	LAB09	LAB10	LAB11	LAB12
6=Weeding <i>(First weeding)</i>												
6b=Weeding <i>(Second weeding)</i>												
7=Harvesting												

Fertility Low Field _____ Plot _____

B1- Plot Name _____

lat- Plot Latitude	S						
long- Plot Longitude	E						

B3 – Enumerator, Which image best represents the slope of this plot? (See visual aid)	
CULTIVATE17- Enumerator, was this plot cultivated during the 2017/18 season? (1=Yes, 2=No) If the plot was fallow, enter “2”, No and skip to page 12	
B90- How were crops mixed on this field (1=Monocrop; 2=Intercrop; 3=Strip intercrops)	

FP19- EXCLUDING UREA AND NPK - How much other fertilizer was applied to this plot? (If other fertilizer was not applied, enter “0” for QTY and skip to B3) (See unit codes below)	FP19-QTY	
FP23- (If FP19=0, skip to B3) What was the name of the “other fertilizer”?	FP20-UNITS	
FP23i- When was other fertilizer application finished? (1=Jan; 2=Feb;... 11=Nov; 12=Dec)	Month	
(For weeks enter 1, 2, 3 or 4)	Week	

Enumerator – Please ask the following for all crop types (not just those included in yield cuts)

IMPORTANT – MAKE SURE YOU ASK ABOUT MAIN CROP AND INTERCROPS (DO NOT JUST RELY ON THE MAP). This will serve as confirmation that we successfully captured these important crops during the mid-season survey

F03a- What is the main crop planted for the 2017 (current) harvest?	(See codes below)	
F03a2- Has the main crop been completely harvested?	(1=Yes; 2=No)	
F03a3- What is or will be the total main crop quantity harvested?	QTY	
Were measured units shelled or unshelled? (0=NA; 1=shelled; 2=unshelled)	UNITS	
	SHELL	
F03b- What is the primary intercrop planted for the 2017 (current) harvest?	(See codes–Enter “0” if none)	
F03b2- Has the primary intercrop been completely harvested?	(1=Yes; 2=No)	
F03b3- What is or will be the total primary intercrop quantity harvested?	QTY	
Were measured units shelled or unshelled? (0=NA; 1=shelled; 2=unshelled)	UNITS	
	SHELL	
F03c- What is the second intercrop planted for the 2017 (current) harvest?	(See codes–Enter “0” if none)	
F03c2- Has the second intercrop been completely harvested?	(1=Yes; 2=No)	
F03c3- What is or will be the total second intercrop quantity harvested?	QTY	
Were measured units shelled or unshelled? (0=NA; 1=shelled; 2=unshelled)	UNITS	
	SHELL	

Crop codes: 0 = None 1=local maize 2=hybrid maize 3=OPV/Composite maize 4=tobacco 5=cotton 6=pigeonpea 7=groundnut 8=soya bean 9=common bean 10=velvet bean 11=cowpea 12=bambara nut	13=sorghum 14=cassava 15=sweet potato 16=Irish potato 17=millet 18=rice 19=pumpkin 20=Fallow 21=Finger millet 87=Virgin land 89=Used/owned by another farmer 99=Other (Specify) _____	Unit codes 1=kg 2=25 kg sacks 3=50 kg sacks 4=20L bucket 5=5L pail 6=Ndiwo plate (about 0.5 kg) 7=Nsima plate (about 1 kg) 8=18L Bucket 9=15L Bucket 10=10L pail 11=Ox cart 12=Bunches 13=Heads/In total 99=Other (specify)
--	---	--

Fertility Low Field _____ Plot _____

Enumerator – Please identify three fairly evenly spaced locations (call these A, B & C) across the diagonal of the plot, avoiding borders.

If the plot has been partially harvested, take locations in the areas that have not been harvested.

Roughly illustrate the plot in the space provided below. In the illustration, please show:

Whether plot is fertilized (“F”) or unfertilized (“UF”)

*Area where the **main crop** has been **harvested** indicated by **hash lines (#)***

Describe the crop pattern in the notes section, or using the illustration if that is helpful

Label locations “A”, “B”, and “C”



Enumerator notes:

Fertility Low Field _____ Plot _____

Enumerator – Please answer each of the following questions for locations A, B & C

If a question cannot be answered, indicate why with the following codes:

-7=strip cropping (intercrops not present at this location)

-8= crop has been harvested and shelled or harvested and removed from the household

-9=crop is not ready to be harvested

	Location A	Location B	Location C
C2- What is the spacing between ridges (center-to-center) in centimeters ?			
C90- How were crops mixed at this location? (1=Monocrop; 2=Intercrop; 3= Strip crop)			

Enumerator note – The main crop is (transfer F03a) _____	Location A	Location B	Location C
Main crop yield cuts (These question apply only to the crop in F03a):			

D5i- If the main crop was/is maize (F03a=1, 2 or 3) how many plants were standing in the 2-ridge X 2-meter area in this location? (If F03a>3, skip to E3i)			
D6ai- What was/is the total number of cobs that have been/ will be harvested in this 2-ridge X 2-meter area in this location?			
D6bi- What is the weight of all of the unshelled cobs to be harvested from Location B ? (If this cannot be done, use codes above)			
D8i- Weigh and remove a sample of three (3) cobs to measure grain moisture later (Place label from the back page in a plastic bag inside sample and record weight here)			
D8i_moisture- Record initial moisture reading here:			
D8i_dryweight- Record dry weight here:			
D8i_drymoisture- Record moisture reading after drying here:			
E3i- If the main crop was/is a legume (F03a is within 6-12), how many plants were standing in the 1-ridge X 2-meter area in this location? (If the [6>F03a>12], skip to E10i)			
E4ai- What was/is the total number of pods that have been/will be harvested in a 1-ridge X 2-meter area? (If this cannot be done, use codes above)			
E4bi- What is the weight of all of the unshelled pods that were harvested from Location B ? (If this cannot be done, use codes above)			
E6i- Take a sample of nine (9) pods, unshelled , to measure moisture later (Place label from the back page in a plastic bag inside sample and record weight here)			
E6i_moisture- Record initial moisture reading here:			
E6i_dryweight- Record dry weight here:			
E6i_drymoisture- Record moisture reading after drying here:			
E10i- If the main crop was neither maize nor legume (F03a is 4,5, or within 13-19, or 99), how many plants were standing in the 1-ridge X 2-meter area in this location? (If the main crop was maize or a legume, skip to the primary intercrop yield cut table)			

Enumerator note – The primary intercrop is (transfer F03b) _____	Location A	Location B	Location C
Primary intercrop crop yield cuts (These question apply only to the crop in F03b):			

D5ii- If the primary intercrop was/is maize (F03b=1, 2 or 3) how many plants were standing in the 2-ridge X 2-meter area in this location? (If F03b>3, skip to E3ii)			
D6aii- What was/is the total number of cobs that have been/ will be harvested in this 2-ridge X 2-meter area in this location?			
D6bii- What is the weight of all of the unshelled cobs to be harvested from Location B ? (If this cannot be done, use codes above)			
D8ii- Weigh and remove a sample of three (3) cobs to measure grain moisture later (Place a label from the back page in a plastic bag inside sample and record weight here)			
D8ii_moisture- Record initial moisture reading here:			
D8ii_dryweight- Record dry weight here:			
D8ii_drymoisture- Record moisture reading after drying here:			

Fertility Low Field _____ Plot _____

Enumerator – Please answer each of the following questions for locations A, B & C

If a question cannot be answered, indicate why with the following codes:

-7=strip cropping (intercrops not present at this location)

-8= crop has been harvested and shelled or harvested and removed from the household

-9=crop is not ready to be harvested

Continuation of

Primary intercrop crop yield cuts (These question apply only to the crop in F03b):

	Location A	Location B	Location C
E3ii If the primary intercrop was/is a legume (F03b is within 6-12), how many plants were standing in the 1-ridge X 2-meter area? (If the [6>F03b>12], skip to E10ii)			
E4aii- What was/is the total number of pods that have been/will be harvested in a 1-ridge X 2-meter area? (If this cannot be done, use codes above)			
E4bii- What is the weight of all of the unshelled pods that were harvested from Location B? (If this cannot be done, use codes above)			
E6ii- Take a sample of nine (9) Pods, unshelled , to measure moisture later (Place label from the back page in a plastic bag inside sample and record weight here)			
E6ii_moisture- Record initial moisture reading here:			
E6ii_dryweight- Record dry weight here:			
E6ii_drymoisture- Record moisture reading after drying here:			
E10ii- If the primary intercrop was neither maize nor legume (F03a is 4,5, or within 13-19, or 99), how many plants were standing in the 1-ridge X 2-meter area in this location? (If the main crop <u>was</u> maize or a legume, skip to the primary intercrop yield cut table)			

Enumerator note – The second intercrop is (transfer F03c) _____

Second intercrop crop yield cuts (These question apply only to the crop in F03c):

	Location A	Location B	Location C
D5iii- If the second intercrop was/is maize (F03c=1, 2 or 3) how many plants were standing in the 2-ridge X 2-meter area in this location? (If F03c>3, skip to E3iii)			
D6aiii- What was/is the total number of cobs that have been/ will be harvested in this 2-ridge X 2-meter area in this location?			
D6b10iii- What is the weight of all of the unshelled cobs to be harvested from Location B? (If this cannot be done, use codes above)			
D8iii- Weigh and remove a sample of three (3) cobs to measure grain moisture later (Place a label from the back page in a plastic bag inside sample and record weight here)			
D8iii_moisture- Record initial moisture reading here:			
D8iii_dryweight- Record dry weight here:			
D8iii_drymoisture- Record moisture reading after drying here:			
E3iii If the second intercrop was/is a legume (F03c is within 6-12), how many plants were standing in the 1-ridge X 2-meter area? (If the [6>F03c>12], skip to E10iii)			
E4aiii- What was/is the total number of pods that have been/will be harvested in a 1-ridge X 2-meter area? (If this cannot be done, use codes above)			
E4biii- What is the weight of all of the unshelled pods that were harvested from Location B? (If this cannot be done, use codes above)			
E6iii- Take a sample of nine (9) Pods, unshelled , to measure moisture later (Place label from the back page in a plastic bag inside sample and record weight here)			
E6iii_moisture- Record initial moisture reading here:			
E6iii_dryweight- Record dry weight here:			
E6iii_drymoisture- Record moisture reading after drying here:			
E10iii- If the second intercrop was neither maize nor legume (F03a is 4,5, or within 13-19, or 99), how many plants were standing in the 1-ridge X 2-meter area in this location? (If the main crop <u>was</u> maize or a legume, skip to the primary intercrop yield cut table)			

Fertility Low Field _____ Plot _____

Enumerator – The following questions only apply to the period since the last visit from Africa RISING

How many complete weeding have been done <i>since the last Africa RISING survey</i> ?			
When was the first weeding since our last visit completed? <i>(Leave blank if there were 0 weeding)</i> Type of first weeding?	(Use month codes)	Month	
	(Week=1, 2, 3 or 4)	Week	
	(1=pulling plants; 2=banking; 3=scraping)	Type	
When was the second weeding since our last visit completed? <i>(Leave blank if there were 0 weeding)</i> Type of first weeding?	(Use month codes)	Month	
	(Week=1, 2, 3 or 4)	Week	
	(1=pulling plants; 2=banking; 3=scraping)	Type	

LAB00 – Enumerator, Has there been any labor for weeding or harvesting since the last Africa RISING survey? (1=Yes, 2=No) If no, skip to next page	
---	--

Recent labor on LOW fertility field (represented plot)

	How many hh member s under 16 provide labor for _____? <i>If LAB01=0 skip to LAB03</i>	How many hh member s under 16 provide labor for _____? <i>If LAB03=0 skip to LAB05</i>	How many hh MEN 16 – 70 years provide labor for _____? <i>If LAB05=0 skip to LAB07</i>	How many hh WOMEN 16 – 70 years provide labor for _____? <i>If LAB07=0 skip to LAB09</i>	How many hh member s over 70 provide labor for _____? <i>If LAB09=0 skip to LAB11</i>	How many hh member s over 70 provide labor for _____? <i>If LAB11=0 skip to LAB12</i>	How many days did hired MEN provide labor for _____?	How many days did hired WOMEN provide labor for _____?	How many days did hired MEN provide labor for _____?	How many days did hired WOMEN provide labor for _____?	How many days did hired WOMEN provide labor for _____?	
LAB_Activity	LAB01	LAB02	LAB03	LAB04	LAB05	LAB06	LAB07	LAB08	LAB09	LAB10	LAB11	LAB12
6=Weeding <i>(First weeding)</i>												
6b=Weeding <i>(Second weeding)</i>												
7=Harvesting												

Hunger and Food Security

Enumerator – please explain that the following page of questions is aimed at learning more about the hunger and food security of the household.

The first question (HFS01) is in regards to the previous harvest (not the crops currently/recently harvested).

HFS01 In what month did your stored supplies of last year's (2016-2017) maize crop run out? (1=January;...12=December; 98=Supplies did not run out)	
---	--

The second set of questions is in regards to the past 12 months

Did any household members go a full day without food during ___? (1=Yes (hungry); 2=No)	
Month	HFS02
11= April 2017	
12= May 2017	
1= June 2017	
2= July 2017	
3= August 2017	
4= September 2017	
5= October 2017	
6= November 2017	
7= December 2017	
8= January 2018	
9= February 2018	
10 = March 2018	

Household Hunger Scale

Enumerator, This set of questions (HHS) is specific to the **past month (4 weeks/30 days)**.

HHS01. In the past 4-weeks/30 days, was there ever no food to eat of any kind in the house because of lack of resources to get food?	1=Yes 2=No IF NO, skip to HHS02	
HHS01a. How often did this happen in the past 4-weeks/30 days?	1=Rarely (1-2 times) 2=Sometimes (3-10 times) 3=Often (More than 10 times)	
HHS02. In the past 4-weeks/30 days, did you or any household member go to sleep at night hungry because there was not enough food?	1=Yes 2=No IF NO, skip to HHS03	
HHS02a. How often did this happen in the past 4-weeks/30 days?	1=Rarely (1-2 times) 2=Sometimes (3-10 times) 3=Often (More than 10 times)	
HHS03. In the past 4-weeks/30 days, did you or any household member go a whole day and night without eating anything at all because there was not enough food?	1=Yes 2=No IF NO, skip to HH19	
HHS03a. How often did this happen in the past 4-weeks/30 days?	1=Rarely (1-2 times) 2=Sometimes (3-10 times) 3=Often (More than 10 times)	

Maize Storage

HH19 Where was your primary storage for maize from the 2018 harvest? See codes	
HH20 What methods do you plan use to control pests in stored grain? (See codes below)	
HH19 Codes: 1=Granary 2= Pit in ground 3=Cribs 4=Sacks 5=Raised open platforms 6=Raised covered platforms 7=Open ground, covered 8=Open ground, uncovered 9=Roof 11=Commercial 88=Did not store 99=Other (specify)_____	HH20 Codes: 0=None 1=Pesticide 2=Ash 3=Tephrosia 99=Other (Specify)

<p>Central Harvest Survey – April 2018</p> <p>HHID _____</p> <p>Fertility (H/L/N) _____</p> <p>Crop code _____</p> <p>Tick one and circle: Main crop..... Primary intercrop..... Second intercrop.....</p>	<p>Central Harvest Survey – April 2018</p> <p>HHID _____</p> <p>Fertility (H/L/N) _____</p> <p>Crop code _____</p> <p>Tick one and circle: Main crop..... Primary intercrop..... Second intercrop.....</p>
<p>Central Harvest Survey – April 2018</p> <p>HHID _____</p> <p>Fertility (H/L/N) _____</p> <p>Crop code _____</p> <p>Tick one and circle: Main crop..... Primary intercrop..... Second intercrop.....</p>	<p>Central Harvest Survey – April 2018</p> <p>HHID _____</p> <p>Fertility (H/L/N) _____</p> <p>Crop code _____</p> <p>Tick one and circle: Main crop..... Primary intercrop..... Second intercrop.....</p>
<p>Central Harvest Survey – April 2018</p> <p>HHID _____</p> <p>Fertility (H/L/N) _____</p> <p>Crop code _____</p> <p>Tick one and circle: Main crop..... Primary intercrop..... Second intercrop.....</p>	<p>Central Harvest Survey – April 2018</p> <p>HHID _____</p> <p>Fertility (H/L/N) _____</p> <p>Crop code _____</p> <p>Tick one and circle: Main crop..... Primary intercrop..... Second intercrop.....</p>
<p>Central Harvest Survey – April 2018</p> <p>HHID _____</p> <p>Fertility (H/L/N) _____</p> <p>Crop code _____</p> <p>Tick one and circle: Main crop..... Primary intercrop..... Second intercrop.....</p>	<p>Central Harvest Survey – April 2018</p> <p>HHID _____</p> <p>Fertility (H/L/N) _____</p> <p>Crop code _____</p> <p>Tick one and circle: Main crop..... Primary intercrop..... Second intercrop.....</p>

Fertility New Field _____ Plot _____

B1- Plot Name _____

lat- Plot Latitude	S						
long- Plot Longitude	E						

B3 – <i>Enumerator, Which image best represents the slope of this plot? (See visual aid)</i>	
CULTIVATE17- Enumerator, was this plot cultivated during the 2017/18 season? <i>(1=Yes, 2=No) If the plot was fallow, enter “2”, No and skip to page 12</i>	
B90- How were crops mixed on this field <i>(1=Monocrop; 2=Intercrop; 3=Strip intercrops)</i>	

FP19- EXCLUDING UREA AND NPK - How much other fertilizer was applied to this plot? <i>If other fertilizer was not applied, enter “0” for QTY and skip to B3) (See unit codes below)</i>	FP19-QTY	
FP23- (If FP19=0, skip to B3) What was the name of the “other fertilizer”?	FP20-UNITS	
FP23i- When was other fertilizer application finished? <i>(1=Jan; 2=Feb;... 11=Nov; 12=Dec)</i>	Month	
<i>(For weeks enter 1, 2, 3 or 4)</i>	Week	

Enumerator – Please ask the following for all crop types (not just those included in yield cuts)

IMPORTANT – MAKE SURE YOU ASK ABOUT MAIN CROP AND INTERCROPS (DO NOT JUST RELY ON THE MAP). This will serve as confirmation that we successfully captured these important crops during the mid-season survey

F03a- What is the main crop planted for the 2017 (current) harvest? <i>(See codes below)</i>	
F03a2- Has the main crop been completely harvested? <i>(1=Yes; 2=No)</i>	
F03a3- What is or will be the total main crop quantity harvested?	QTY
Were measured units shelled or unshelled? <i>(0=NA; 1=shelled; 2=unshelled)</i>	UNITS
	SHELL
F03b- What is the primary intercrop planted for the 2017 (current) harvest? <i>(See codes–Enter “0” if none)</i>	
F03b2- Has the primary intercrop been completely harvested? <i>(1=Yes; 2=No)</i>	
F03b3- What is or will be the total primary intercrop quantity harvested?	QTY
Were measured units shelled or unshelled? <i>(0=NA; 1=shelled; 2=unshelled)</i>	UNITS
	SHELL
F03c- What is the second intercrop planted for the 2017 (current) harvest? <i>(See codes–Enter “0” if none)</i>	
F03c2- Has the second intercrop been completely harvested? <i>(1=Yes; 2=No)</i>	
F03c3- What is or will be the total second intercrop quantity harvested?	QTY
Were measured units shelled or unshelled? <i>(0=NA; 1=shelled; 2=unshelled)</i>	UNITS
	SHELL

Crop codes: 0 = None 1=local maize 2=hybrid maize 3=OPV/Composite maize 4=tobacco 5=cotton 6=pigeonpea 7=groundnut 8=soya bean 9=common bean 10=velvet bean 11=cowpea 12=bambara nut	13=sorghum 14=cassava 15=sweet potato 16=Irish potato 17=millet 18=rice 19=pumpkin 20=Fallow 21=Finger millet 87=Virgin land 89=Used/owned by another farmer 99=Other <i>(Specify)_____</i>	Unit codes 1=kg 2=25 kg sacks 3=50 kg sacks 4=20L bucket 5=5L pail 6=Ndiwo plate (about 0.5 kg) 7=Nsima plate (about 1 kg) 8=18L Bucket 9=15L Bucket 10=10L pail 11=Ox cart 12=Bunches 13=Heads/In total 99=Other (specify)
--	---	--

Fertility New Field _____ Plot _____

Enumerator – Please identify three fairly evenly spaced locations (call these A, B & C) across the diagonal of the plot, avoiding borders.

If the plot has been partially harvested, take locations in the areas that have not been harvested.


Roughly illustrate the plot in the space provided below. In the illustration, please show:

Whether plot is fertilized (“F”) or unfertilized (“UF”)

*Area where the **main crop** has been **harvested** indicated by **hash lines (#)***

Describe the crop pattern in the notes section, or using the illustration if that is helpful

Label locations “A”, “B”, and “C”



Enumerator notes:

Fertility New Field _____ Plot _____

Enumerator – Please answer each of the following questions for locations A, B & C

If a question cannot be answered, indicate why with the following codes:

-7=strip cropping (intercrops not present at this location)

-8= crop has been harvested and shelled or harvested and removed from the household

-9=crop is not ready to be harvested

	Location A	Location B	Location C
C2- What is the spacing between ridges (center-to-center) in centimeters ?			
C90- How were crops mixed at this location? (1=Monocrop; 2=Intercrop; 3= Strip crop)			

Enumerator note – The main crop is (transfer F03a) _____	Location A	Location B	Location C
Main crop yield cuts (These question apply only to the crop in F03a):			

D5i- If the main crop was/is maize (F03a=1, 2 or 3) how many plants were standing in the 2-ridge X 2-meter area in this location? (If F03a>3, skip to E3i)			
D6ai- What was/is the total number of cobs that have been/ will be harvested in this 2-ridge X 2-meter area in this location?			
D6bi- What is the weight of all of the unshelled cobs to be harvested from Location B ? (If this cannot be done, use codes above)			
D8i- Weigh and remove a sample of three (3) cobs to measure grain moisture later (Place label from the back page in a plastic bag inside sample and record weight here)			
D8i_moisture- Record initial moisture reading here:			
D8i_dryweight- Record dry weight here:			
D8i_drymoisture- Record moisture reading after drying here:			
E3i- If the main crop was/is a legume (F03a is within 6-12), how many plants were standing in the 1-ridge X 2-meter area in this location? (If the [6>F03a>12], skip to E10i)			
E4ai- What was/is the total number of pods that have been/will be harvested in a 1-ridge X 2-meter area? (If this cannot be done, use codes above)			
E4bi- What is the weight of all of the unshelled pods that were harvested from Location B ? (If this cannot be done, use codes above)			
E6i- Take a sample of nine (9) pods, unshelled , to measure moisture later (Place label from the back page in a plastic bag inside sample and record weight here)			
E6i_moisture- Record initial moisture reading here:			
E6i_dryweight- Record dry weight here:			
E6i_drymoisture- Record moisture reading after drying here:			
E10i- If the main crop was neither maize nor legume (F03a is 4,5, or within 13-19, or 99), how many plants were standing in the 1-ridge X 2-meter area in this location? (If the main crop was maize or a legume, skip to the primary intercrop yield cut table)			

Enumerator note – The primary intercrop is (transfer F03b) _____	Location A	Location B	Location C
Primary intercrop crop yield cuts (These question apply only to the crop in F03b):			

D5ii- If the primary intercrop was/is maize (F03b=1, 2 or 3) how many plants were standing in the 2-ridge X 2-meter area in this location? (If F03b>3, skip to E3ii)			
D6aii- What was/is the total number of cobs that have been/ will be harvested in this 2-ridge X 2-meter area in this location?			
D6bii- What is the weight of all of the unshelled cobs to be harvested from Location B ? (If this cannot be done, use codes above)			
D8ii- Weigh and remove a sample of three (3) cobs to measure grain moisture later (Place a label from the back page in a plastic bag inside sample and record weight here)			
D8ii_moisture- Record initial moisture reading here:			
D8ii_dryweight- Record dry weight here:			
D8ii_drymoisture- Record moisture reading after drying here:			

Fertility New Field _____ Plot _____

Enumerator – Please answer each of the following questions for locations A, B & C

If a question cannot be answered, indicate why with the following codes:

-7=strip cropping (intercrops not present at this location)

-8= crop has been harvested and shelled or harvested and removed from the household

-9=crop is not ready to be harvested

Continuation of

Primary intercrop crop yield cuts (These question apply only to the crop in F03b):

	Location A	Location B	Location C
E3ii If the primary intercrop was/is a legume (F03b is within 6-12), how many plants were standing in the 1-ridge X 2-meter area? (If the [6>F03b>12], skip to E10ii)			
E4aii- What was/is the total number of pods that have been/will be harvested in a 1-ridge X 2-meter area? (If this cannot be done, use codes above)			
E4bii- What is the weight of all of the unshelled pods that were harvested from Location B? (If this cannot be done, use codes above)			
E6ii- Take a sample of nine (9) Pods, unshelled , to measure moisture later (Place label from the back page in a plastic bag inside sample and record weight here)			
E6ii_moisture- Record initial moisture reading here:			
E6ii_dryweight- Record dry weight here:			
E6ii_drymoisture- Record moisture reading after drying here:			
E10ii- If the primary intercrop was neither maize nor legume (F03a is 4,5, or within 13-19, or 99), how many plants were standing in the 1-ridge X 2-meter area in this location? (If the main crop <u>was</u> maize or a legume, skip to the primary intercrop yield cut table)			

Enumerator note – The second intercrop is (transfer F03c) _____

Second intercrop crop yield cuts (These question apply only to the crop in F03c):

	Location A	Location B	Location C
D5iii- If the second intercrop was/is maize (F03c=1, 2 or 3) how many plants were standing in the 2-ridge X 2-meter area in this location? (If F03c>3, skip to E3iii)			
D6aiii- What was/is the total number of cobs that have been/ will be harvested in this 2-ridge X 2-meter area in this location?			
D6b10iii- What is the weight of all of the unshelled cobs to be harvested from Location B? (If this cannot be done, use codes above)			
D8iii- Weigh and remove a sample of three (3) cobs to measure grain moisture later (Place a label from the back page in a plastic bag inside sample and record weight here)			
D8iii_moisture- Record initial moisture reading here:			
D8iii_dryweight- Record dry weight here:			
D8iii_drymoisture- Record moisture reading after drying here:			
E3iii If the second intercrop was/is a legume (F03c is within 6-12), how many plants were standing in the 1-ridge X 2-meter area? (If the [6>F03c>12], skip to E10iii)			
E4aiii- What was/is the total number of pods that have been/will be harvested in a 1-ridge X 2-meter area? (If this cannot be done, use codes above)			
E4biii- What is the weight of all of the unshelled pods that were harvested from Location B? (If this cannot be done, use codes above)			
E6iii- Take a sample of nine (9) Pods, unshelled , to measure moisture later (Place label from the back page in a plastic bag inside sample and record weight here)			
E6iii_moisture- Record initial moisture reading here:			
E6iii_dryweight- Record dry weight here:			
E6iii_drymoisture- Record moisture reading after drying here:			
E10iii- If the second intercrop was neither maize nor legume (F03a is 4,5, or within 13-19, or 99), how many plants were standing in the 1-ridge X 2-meter area in this location? (If the main crop <u>was</u> maize or a legume, skip to the primary intercrop yield cut table)			

Fertility New Field _____ Plot _____

Enumerator – The following questions only apply to the period since the last visit from Africa RISING

How many complete weeding have been done <i>since the last Africa RISING survey</i> ?		
When was the first weeding since our last visit completed? <i>(Leave blank if there were 0 weeding)</i>	<i>(Use month codes)</i> <i>(Week=1, 2, 3 or 4)</i>	Month
Type of first weeding? <i>(1=pulling plants; 2=banking; 3=scraping)</i>		Week
When was the second weeding since our last visit completed? <i>(Leave blank if there were 0 weeding)</i>	<i>(Use month codes)</i> <i>(Week=1, 2, 3 or 4)</i>	Month
Type of first weeding? <i>(1=pulling plants; 2=banking; 3=scraping)</i>		Week
		Type

LAB00 – Enumerator, Has there been any labor for weeding or harvesting since the last Africa RISING survey? <i>(1=Yes, 2=No) If no, skip to next page</i>	
---	--

Recent labor on LOW fertility field (represented plot)

	How many hh member s under 16 provide labor for _____? <i>If LAB01=0 skip to LAB03</i>	How many hh member s under 16 provide labor for _____?	How many hh MEN 16 – 70 years provide labor for _____? <i>If LAB03=0 skip to LAB05</i>	How many hh MEN 16 – 70 years provide labor for _____?	How many hh WOMEN 16 – 70 years provide labor for _____? <i>If LAB05=0 skip to LAB07</i>	How many hh WOMEN 16 – 70 years provide labor for _____?	How many hh members over 70 provide labor for _____? <i>If LAB07=0 skip to LAB09</i>	How many hh member s over 70 provide labor for _____?	How many MEN were hired to provide labor for _____? <i>If LAB09=0 skip to LAB11</i>	How many days did hired MEN provide labor for _____?	How many WOMEN were hired to provide labor for _____? <i>If LAB11=0 skip LAB12</i>	How many days did hired WOMEN provide labor for _____?
LAB_Activity	LAB01	LAB02	LAB03	LAB04	LAB05	LAB06	LAB07	LAB08	LAB09	LAB10	LAB11	LAB12
6=Weeding <i>(First weeding)</i>												
6b=Weeding <i>(Second weeding)</i>												
7=Harvesting												